Index to
Experimental Techniques VOLUME 19, 1995

Title Index

Application of High Resolution Geometric Moiré Method to Fracture Problems — R Chona, S.K. Khanna and K.J. Kmiec, 10-13 (Nov/Dec).

Application Techniques for Optical Extensometers — S. Daicos and D. Wiese, 13-15 (Mar/Apr).

Crack-detection Device for Brittle-matrix Composite Materials — J.D. Camping and S.R. Short, 15-18 (Nov/Dec).

Determination of Mooney Material Constants for Highly Non-linear Isotropic Incompressible Materials Under Large Elastic Deformations — J. Vossoughi, 24-27 (Mar/Apr).

Effect of Surface Condition and Prior Plastic Deformation on X-Ray Effective Elastic Parameters in a Steel and its Weld — R.W. Hampton and D.V. Nelson, 25-28 (Jul/Aug).

Fabrication of High Frequency Gratings for High Temperature — X. Huimin, P. Dietz, D. Fulong and A. Schmidt, 28-29 (Sep/Oct).

Fillet Weld Profile Measurements — M.D. Bowman and B.P. Quinn, 21-24 (Sep/Oct).

Finite Element Model Generation for a Truss Using Imaging Techniques — T.C. Chu, S.C. Yen and V. Sankaran, 21-23 (Jul/Aug).

Low Pressure Plasma Spraying Chamber for Laboratory Scale Production of Fine Powders and Coatings, A — K.A. Khor, 14-16 (Jan/Feb).

Measurement of Solidification Rate During Non-planar Solidification — G.S. Hanumanth, 11-13 (Sep/Oct).

Method for Determining Critical Strain Gage Size in Anisotropic Materials with Large Repeating Unit Cells, A — S.T. Burr, P.G. Ifju and D.H. Morris, 25-27 (Sep/Oct).

Monitoring of Biaxial Tests of Ceramic Materials by Digital Speckle Interferometry — F.M. Furgiuele, A. Lamberti and A. Poggialini, 15-19 (Sep/Oct).

New Test Method and Facilities for Investigating Short Fatigue Crack Propagation — J.Z. Pan, 19-23 (Mar/Apr).

Notch Sensitivity in Specimens with a Blind Hole Under Fatigue Loading — A.L. Geraci, E. Guglielmino, G. La Rosa and G. Roccati, 17-20 (Jan/Feb).

Passive Demodulation Techniques for Michelson and Polarimetric Optical Fiber Sensors — Y.L. Lo and J.S. Sirkis, 23-27 (May/Jun).

Photostress Analysis of the Lower Weld of an Aft Skirt of a Solid Rocket Booster — S.C. Gambrell, Jr., 13-16 (Jul/Aug).

Preparation of Pressure Vessel Models Having Integrated Nozzles for Photoelastic Investigation — K.B. Mulchandani and D.P. Shukla, 23-26 (Jan/Feb).

Radar Imaging of a Cylindrical Concrete Specimen for Non-destructive Testing — H.C. Rhim, 21-22 (Jan/Feb).

Residual Stress Measurement in a Plasma Semi-transferred ARC (PTA) Coating by Neutron and X-ray Diffraction — M. Ceretti, H. Michaud, M. Perrin and A. Lodini, 17-21 (May/Jun).

Simple Test Method for Profiled Steel Cladding Systems Under Wind Uplift, A — M. Mahendran, 17-20 (Jul/Aug).

Small Strain Gage Based Load Cell, A — C. Hurschler, R. McCabe and R. Vanderby, Jr., 13-15 (May/Jun).

Stress Mapping: A New Way of Tackling the Characterization of Residual Stresses — J. Pineault and M. Brauss, 17-18 (Mar/Apr).

Stress Measurements on Ancient Structures — J. Barrallo, A. Zulueta, J.E. Caro , L.P. Blanco and S. Sánchez-Beitia, 9-11 (May/Jun).

Surface Roughness Effects on Stress Determination by the X-ray Diffraction Method — A. Li, V. Ji, J.L. Lebrun and G. Ingelbert, 9-11 (Mar/Apr).

Testing Evaluation of Journal Bearings — A.H. Elkholy and A. Elshakweer, 20-23 (Nov/Dec).

Tomographic Technique for Determining Contact Stress, A — M.W. Witte, J.D. Hovanesian and J.A. Hovanesian, 9-12 (Jul/Aug).

Unified Data Reduction Procedure for Both Standard and Hole-drilling Strain Gage Rosettes — P. Jaros, 10-13 (Jan/Feb).

Wind Driven Dynamic Model Manipulator for Wind Tunnels, A — J.C. Magill and N.M. Komerath, 27-30 (Jan/Feb).

Author Index

Barrallo, J. — Stress Measurements on Ancient Structures, 9-11 (May/Jun).

Blanco, L.P. — Stress Measurements on Ancient Structures, 9-11 (May/Jun).

Bowman, M.D. — Fillet Weld Profile Measurements, 21-24 (Sep/Oct).

Brauss, M. — Stress Mapping: A New Way of Tackling the Characterization of Residual Stresses, 17-18 (Mar/Apr).

Burr, S.T. — A Method for Determining Critical Strain Gage Size in Anisotropic Materials with Large Repeating Unit Cells, 25-27 (Sep/Oct).

Camping, J.D. — Crack-detection Device for Brittle-matrix Composite Materials, 15-18 (Nov/Dec).

Caro, J.E. — Stress Measurements on Ancient Structures, 9-11 (May/Jun).

Ceretti, M. — Residual Stress Measurement in a Plasma Semi-transferred ARC (PTA) Coating by Neutron and X-ray Diffraction, 17-21 (May/Jun).

Chona, R — Application of High Resolution Geometric Moiré Method to Fracture Problems, 10-13 (Nov/Dec).

Chu, T.C. — Finite Element Model Generation for a Truss Using Imaging Techniques, 21-23 (Jul/Aug).

Daicos, S. — Application Techniques for Optical Extensometers, 13-15 (Mar/Apr).

Dietz, P. — Fabrication of High Frequency Gratings for High Temperature, 28-29 (Sep/Oct).

Elkholy, A.H. — Testing Evaluation of Journal Bearings, 20-23 (Nov/Dec).

Elshakweer, A. — Testing Evaluation of Journal Bearings, 20-23 (Nov/Dec).

Fulong, D. — Fabrication of High Frequency Gratings for High Temperature, 28-29 (Sep/Oct).

Furgiuele, F.M. — Monitoring of Biaxial Tests of Ceramic Materials by Digital Speckle Interferometry, 15-19 (Sep/Oct).

Index to
Experimental Techniques VOLUME 19, 1995

Title Index

Application of High Resolution Geometric Moiré Method to Fracture Problems — R Chona, S.K. Khanna and K.J. Kmiec, 10-13 (Nov/Dec).

Application Techniques for Optical Extensometers — S. Daicos and D. Wiese, 13-15 (Mar/Apr).

Crack-detection Device for Brittle-matrix Composite Materials — J.D. Camping and S.R. Short, 15-18 (Nov/Dec).

Determination of Mooney Material Constants for Highly Non-linear Isotropic Incompressible Materials Under Large Elastic Deformations — J. Vossoughi, 24-27 (Mar/Apr).

Effect of Surface Condition and Prior Plastic Deformation on X-Ray Effective Elastic Parameters in a Steel and its Weld — R.W. Hampton and D.V. Nelson, 25-28 (Jul/Aug).

Fabrication of High Frequency Gratings for High Temperature — X. Huimin, P. Dietz, D. Fulong and A. Schmidt, 28-29 (Sep/Oct).

Fillet Weld Profile Measurements — M.D. Bowman and B.P. Quinn, 21-24 (Sep/Oct).

Finite Element Model Generation for a Truss Using Imaging Techniques — T.C. Chu, S.C. Yen and V. Sankaran, 21-23 (Jul/Aug).

Low Pressure Plasma Spraying Chamber for Laboratory Scale Production of Fine Powders and Coatings, A — K.A. Khor, 14-16 (Jan/Feb).

Measurement of Solidification Rate During Non-planar Solidification — G.S. Hanumanth, 11-13 (Sep/Oct).

Method for Determining Critical Strain Gage Size in Anisotropic Materials with Large Repeating Unit Cells, A — S.T. Burr, P.G. Ifju and D.H. Morris, 25-27 (Sep/Oct).

Monitoring of Biaxial Tests of Ceramic Materials by Digital Speckle Interferometry — F.M. Furgiuele, A. Lamberti and A. Poggialini, 15-19 (Sep/Oct).

New Test Method and Facilities for Investigating Short Fatigue Crack Propagation — J.Z. Pan, 19-23 (Mar/Apr).

Notch Sensitivity in Specimens with a Blind Hole Under Fatigue Loading — A.L. Geraci, E. Guglielmino, G. La Rosa and G. Roccati, 17-20 (Jan/Feb).

Passive Demodulation Techniques for Michelson and Polarimetric Optical Fiber Sensors — Y.L. Lo and J.S. Sirkis, 23-27 (May/Jun).

Photostress Analysis of the Lower Weld of an Aft Skirt of a Solid Rocket Booster — S.C. Gambrell, Jr., 13-16 (Jul/Aug).

Preparation of Pressure Vessel Models Having Integrated Nozzles for Photoelastic Investigation — K.B. Mulchandani and D.P. Shukla, 23-26 (Jan/Feb).

Radar Imaging of a Cylindrical Concrete Specimen for Non-destructive Testing — H.C. Rhim, 21-22 (Jan/Feb).

Residual Stress Measurement in a Plasma Semi-transferred ARC (PTA) Coating by Neutron and X-ray Diffraction — M. Ceretti, H. Michaud, M. Perrin and A. Lodini, 17-21 (May/Jun).

Simple Test Method for Profiled Steel Cladding Systems Under Wind Uplift, A — M. Mahendran, 17-20 (Jul/Aug).

Small Strain Gage Based Load Cell, A — C. Hurschler, R. McCabe and R. Vanderby, Jr., 13-15 (May/Jun).

Stress Mapping: A New Way of Tackling the Characterization of Residual Stresses — J. Pineault and M. Brauss, 17-18 (Mar/Apr).

Stress Measurements on Ancient Structures — J. Barrallo, A. Zulueta, J.E. Caro , L.P. Blanco and S. Sánchez-Beitia, 9-11 (May/Jun).

Surface Roughness Effects on Stress Determination by the X-ray Diffraction Method — A. Li, V. Ji, J.L. Lebrun and G. Ingelbert, 9-11 (Mar/Apr).

Testing Evaluation of Journal Bearings — A.H. Elkholy and A. Elshakweer, 20-23 (Nov/Dec).

Tomographic Technique for Determining Contact Stress, A — M.W. Witte, J.D. Hovanesian and J.A. Hovanesian, 9-12 (Jul/Aug).

Unified Data Reduction Procedure for Both Standard and Hole-drilling Strain Gage Rosettes — P. Jaros, 10-13 (Jan/Feb).

Wind Driven Dynamic Model Manipulator for Wind Tunnels, A — J.C. Magill and N.M. Komerath, 27-30 (Jan/Feb).

Author Index

Barrallo, J. — Stress Measurements on Ancient Structures, 9-11 (May/Jun).

Blanco, L.P. — Stress Measurements on Ancient Structures, 9-11 (May/Jun).

Bowman, M.D. — Fillet Weld Profile Measurements, 21-24 (Sep/Oct).

Brauss, M. — Stress Mapping: A New Way of Tackling the Characterization of Residual Stresses, 17-18 (Mar/Apr).

Burr, S.T. — A Method for Determining Critical Strain Gage Size in Anisotropic Materials with Large Repeating Unit Cells, 25-27 (Sep/Oct).

Camping, J.D. — Crack-detection Device for Brittle-matrix Composite Materials, 15-18 (Nov/Dec).

Caro, J.E. — Stress Measurements on Ancient Structures, 9-11 (May/Jun).

Ceretti, M. — Residual Stress Measurement in a Plasma Semi-transferred ARC (PTA) Coating by Neutron and X-ray Diffraction, 17-21 (May/Jun).

Chona, R — Application of High Resolution Geometric Moiré Method to Fracture Problems, 10-13 (Nov/Dec).

Chu, T.C. — Finite Element Model Generation for a Truss Using Imaging Techniques, 21-23 (Jul/Aug).

Daicos, S. — Application Techniques for Optical Extensometers, 13-15 (Mar/Apr).

Dietz, P. — Fabrication of High Frequency Gratings for High Temperature, 28-29 (Sep/Oct).

Elkholy, A.H. — Testing Evaluation of Journal Bearings, 20-23 (Nov/Dec).

Elshakweer, A. — Testing Evaluation of Journal Bearings, 20-23 (Nov/Dec).

Fulong, D. — Fabrication of High Frequency Gratings for High Temperature, 28-29 (Sep/Oct).

Furgiuele, F.M. — Monitoring of Biaxial Tests of Ceramic Materials by Digital Speckle Interferometry, 15-19 (Sep/Oct).

Gambrell, Jr., S.C. — Photostress Analysis of the Lower Weld of an Aft Skirt of a Solid Rocket Booster, 13-16 (Jul/Aug).

Geraci, A.L. — Notch Sensitivity in Specimens with a Blind Hole Under Fatigue Loading, 17-20 (Jan/Feb).

Guglielmino, E. — Notch Sensitivity in Specimens with a Blind Hole Under Fatigue Loading, 17-20 (Jan/Feb).

Hampton, R.W. — Effect of Surface Condition and Prior Plastic Deformation on X-Ray Effective Elastic Parameters in a Steel and its Weld, 25-28 (Jul/Aug).

Hanumanth, G.S. — Measurement of Solidification Rate During Non-planar Solidification, 11-13 (Sep/Oct).

Hovanesian, J.D. — A Tomographic Technique for Determining Contact Stress, 9-12 (Jul/Aug).

Hovanesian, J.A. — A Tomographic Technique for Determining Contact Stress, 9-12 (Jul/Aug).

Huimin, X. — Fabrication of High Frequency Gratings for High Temperature, 28-29 (Sep/Oct).

Hurschler, C. — A Small Strain Gage Based Load Cell, 13-15 (May/Jun).

Ifju, P.G. — A Method for Determining Critical Strain Gage Size in Anisotropic Materials with Large Repeating Unit Cells, 25-27 (Sep/Oct).

Ingelbert, G. — Surface Roughness Effects on Stress Determination by the X-ray Diffraction Method, 9-11 (Mar/Apr).

Jaros, P. — Unified Data Reduction Procedure for Both Standard and Hole-drilling Strain Gage Rosettes, 10-13 (Jan/Feb).

Ji, V. — Surface Roughness Effects on Stress Determination by the X-ray Diffraction Method, 9-11 (Mar/Apr).

Khanna, S.K. — Application of High Resolution Geometric Moiré Method to Fracture Problems, 10-13 (Nov/Dec).

Khor, K.A. — A Low Pressure Plasma Spraying Chamber for Laboratory Scale Production of Fine Powders and Coatings, 14-16 (Jan/Feb).

Kmiec, K.J. — Application of High Resolution Geometric Moiré Method to Fracture Problems, 10-13 (Nov/Dec).

Komerath, N.M. — A Wind Driven Dynamic Model Manipulator for Wind Tunnels, 27-30 (Jan/Feb).

La Rosa, G. — Notch Sensitivity in Specimens with a Blind Hole Under Fatigue Loading, 17-20 (Jan/Feb).

Lamberti, A. — Monitoring of Biaxial Tests of Ceramic Materials by Digital Speckle Interferometry, 15-19 (Sep/Oct).

Lebrun, J.L. — Surface Roughness Effects on Stress Determination by the X-ray Diffraction Method, 9-11 (Mar/Apr).

Li, A. — Surface Roughness Effects on Stress Determination by the X-ray Diffraction Method, 9-11 (Mar/Apr).

Lo, Y.L. — Passive Demodulation Techniques for Michelson and Polarimetric Optical Fiber Sensors, 23-27 (May/Jun).

Lodini, A. — Residual Stress Measurement in a Plasma Semi-transferred ARC (PTA) Coating by Neutron and X-ray Diffraction, 17-21 (May/Jun).

Magill, J.C. — A Wind Driven Dynamic Model Manipulator for Wind Tunnels, 27-30 (Jan/Feb).

Mahendran, M. — A Simple Test Method for Profiled Steel Cladding Systems Under Wind Uplift, 17-20 (Jul/Aug).

McCabe, R. — A Small Strain Gage Based Load Cell, 13-15 (May/Jun).

Michaud, H. — Residual Stress Measurement in a Plasma Semi-transferred ARC (PTA) Coating by Neutron and X-ray Diffraction, 17-21 (May/Jun).

Morris, D.H. — A Method for Determining Critical Strain Gage Size in Anisotropic Materials with Large Repeating Unit Cells, 25-27 (Sep/Oct).

SEM PUBLICATIONS

Handbook on Experimental Mechanics

Second Edition, Edited by Albert S. Kobayashi

NEW!

Save 55% on SEM's Most Popular Handbook



In an effort to make this most sought-after reference text affordable to more of its members, SEM has produced a lower cost version. It is exactly the same book that libraries have paid $175 for, with the exception that it now comes bound in a soft, but durable, cover.

The cost for members is just $50 plus $10 shipping and handling. That is a reduction of 55% off the previous member price of $110. Nonmembers may purchase the new version for $75.00 plus $10 shipping and handling.

This revised and updated edition of the classic *Handbook on Experimental Mechanics* documents both the traditional methods as well as the new principles involved in stress analysis of materials. The emergence of new materials and new disciplines, together with the escalating use of on- and off-line computers for rapid data processing and the combined use of experimental and numerical techniques, has greatly expanded the capabilities of experimental mechanics.

Contents include:

- Mechanical Responses of Materials
- Strain Gages
- Photoelasticity
- Moiré Interferometry
- Brittle Coating
- Nondestructive Evaluation
- High-Temperature Strain/ Displacement Measurement
- Thermoelastic Stress Analysis
- Experimental Modal Analysis
- Residual Stresses
- Composite Materials
- Experimental Fracture Mechanics

Order Information:
Order # S-026-X
ISBN:1-56081-640-6
Member Price $50.00
Nonmem./Inst. Price $75.00
Softbound; 1074 pages
Published 1993
All orders must be prepaid in U.S. Dollars.

Contact SEM for More Info:

Phone: 203-790-6373; Fax: 203-790-4472
E-mail: sem@pcnet.com

Mulchandani, K.B. — Preparation of Pressure Vessel Models Having Integrated Nozzles for Photoelastic Investigation, 23-26 (Jan/Feb).

Nelson, D.V. — Effect of Surface Condition and Prior Plastic Deformation on X-Ray Effective Elastic Parameters in a Steel and its Weld, 25-28 (Jul/Aug).

Pan, J.Z. — New Test Method and Facilities for Investigating Short Fatigue Crack Propagation, 19-23 (Mar/Apr).

Perrin, M. — Residual Stress Measurement in a Plasma Semi-transferred ARC (PTA) Coating by Neutron and X-ray Diffraction, 17-21 (May/Jun).

Pineault, J. — Stress Mapping: A New Way of Tackling the Characterization of Residual Stresses, 17-18 (Mar/Apr).

Poggialini, A. — Monitoring of Biaxial Tests of Ceramic Materials by Digital Speckle Interferometry, 15-19 (Sep/Oct).

Quinn, B.P. — Fillet Weld Profile Measurements, 21-24 (Sep/Oct).

Rhim, H.C. — Radar Imaging of a Cylindrical Concrete Specimen for Nondestructive Testing, 21-22 (Jan/Feb).

Roccati, G. — Notch Sensitivity in Specimens with a Blind Hole Under Fatigue Loading, 17-20 (Jan/Feb).

Sánchez-Beitia, S. — Stress Measurements on Ancient Structures, 9-11 (May/Jun).

Sankaran, V. — Finite Element Model Generation for a Truss Using Imaging Techniques, 21-23 (Jul/Aug).

Schmidt, A. — Fabrication of High Frequency Gratings for High Temperature, 28-29 (Sep/Oct).

Short, S.R. — Crack-detection Device for Brittle-matrix Composite Materials, 15-18 (Nov/Dec).

Shukla, D.P. — Preparation of Pressure Vessel Models Having Integrated Nozzles for Photoelastic Investigation, 23-26 (Jan/Feb).

Sirkis, J.S. — Passive Demodulation Techniques for Michelson and Polarimetric Optical Fiber Sensors, 23-27 (May/Jun).

Vanderby, Jr., R. — A Small Strain Gage Based Load Cell, 13-15 (May/Jun).

Vossoughi, J. — Determination of Mooney Material Constants for Highly Nonlinear Isotropic Incompressible Materials Under Large Elastic Deformations, 24-27 (Mar/Apr).

Wiese, D. — Application Techniques for Optical Extensometers, 13-15 (Mar/Apr).

Witte, M.W. — A Tomographic Technique for Determining Contact Stress, 9-12 (Jul/Aug).

Yen, S.C. — Finite Element Model Generation for a Truss Using Imaging Techniques, 21-23 (Jul/Aug).

Zulueta, A. — Stress Measurements on Ancient Structures, 9-11 (May/Jun).

Experimental Techniques Advertiser Index and Fax Inquiry Form

The Advertiser Fax Inquiry Form is a Reader Service Provided by the Society for Experimental Mechanics, Inc.

For *Experimental Techniques* November/December 1995 issue advertiser product/service information, take a copy of this page, fill it out and fax it to the corresponding company.

Advertiser	Pg. #	Fax #	Advertiser	Pg. #	Fax #
APS Dynamics, Inc.	35	619-438-8845	MB Dynamics	31	216-292-5614
American Stress Technologies, Inc.	32	412-854-1290	Measurements Group, Inc.	IFC, OBC	919-365-3945
BLH Electronics, Inc.	26	617-828-1451	The Modal Shop	25	513-458-2172
Brüel & Kjaer	5	770-808-7818	Nanmac Corporation	27	508-879-5450
Capacitec, Inc.	33	508-772-6036	Neptune Precision Composites	37	904-246-4738
Clark Engineering Services	36	616-697-4525	Ometron, Inc.	30	703-478-3205
The Cooke Corporation	31	716-836-2927	PCB/CS[3]	32	716-684-0987
Creative Stars Electro-Optics, Inc.	30	206-487-0980	Proto Manufacturing	27	519-737-1692
D.a.F. Associates, Inc.	37	714-693-0951	Quality Systems Concepts, Inc.	37	515-233-8488
Data Physics Corporation	9	408-371-7189	Red Hill Dezignz, Inc.	36	303-449-4456
Delsen Testing Laboratories	36	818-247-4537	Spectral Dynamics, Inc.	19	408-474-1780
Engineering Specifics Assn., Inc.	36	714-434-6304	Stein Engineering Services, Inc.	37	800-632-7797
Fourney Engineering, Inc.	37	310-457-3474	Strain Gage Advice Inc.	37	-
HEM Data Corporation	13	810-559-8008	Strain Measurement Devices, Inc.	28	203-235-3470
Hi-Techniques, Inc.	36	608-221-7509	Stress Photonics Inc.	14	608-238-5120
HITEC Corporation	37	508-692-5078	Syminex, Inc.	35	201-398-5804
Hitec Products, Inc.	33, 36	508-772-6966	Texas Measurements, Inc.	34	409-696-2390
IBM Microelectronics	IBC	607-757-1126	Triodyne Inc.	36	708-647-0785
JP Technologies, Inc.	3	909-799-1904	University of Illinois	37	217-244-5707
Kistler Instrument Corporation	29	716-691-5226	Vibrant Technology	25	209-984-5415
LMS	24	810-952-1610	Vibration Test Systems	36	216-562-1186
Ling Electronics	34	714-779-7714			

Name _____ Title/Dept. _____

Company _____

Address _____

City _____ State _____ Zip _____ Country _____

Phone _____ Fax _____